HP LaserJet Managed Flow MFP E731z Printer Series

Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers vou'll stay secure and simplify fleet management for busy IT pros.



Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.

Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

Always on guard with HP Wolf Security. 5


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- . The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Model	HP LaserJet Managed Flow MFP E731z				
Product number	5QK02A	5QK02A (Base) + 8EP58AAE (Speed license)	5QK02A (Base) + 8EP59AAE (Speed license)		
Print speed (A4 and letter, black and color) ³	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm		
Scan speed(A4 and letter, black and color)4	120 ppm/240 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology ⁵ , full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support **U04NYE** HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx UO4NZE HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04P0E HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04P1E HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04P2E HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04P3E HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04PQE HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx UO4PRE HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PSE HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PTE HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PVE HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PWPE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx UO4PXPE HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx UO4PYPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx UO4PZPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04Q0PE HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04Q1PE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) Solutions Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD): HP Print for Chrome Extension: HP Smart UPD: HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

An administrator must enable the easy-access USB port before use.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Accorcorion

155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 190A1A HP LaserJet Workgroup Lunar Gray Color Panel 190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel 190B1A HP LaserJet Workgroup Comet Red Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel 190B9A HP LaserJet Workgroup Stand Comet Red Color Panel 190C1A HP LaserJet Workgroup Cosmic Green Color Panel 190C6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190DTA HP LaserJet Workgroup Constellation Yellow Color Panel
190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
190D7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190D9A HP LaserJet Workgroup Stand Constellation Yellow Color Panel 190F1A HP LaserJet Workgroup Aurora Purple Color Panel 190F6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F7A HP Laser Jet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F9A HP Laser Jet Workgroup Stand Aurora Purple Color Panel 2MU47A HP Accessibility Assistant 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory 4QL32A HP Legic Secure USB Reader 4XN67A Internal USB Expansion Kit 5QK14A HP MFP 810 Analog Dual Fax 6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand 6GW48A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW51A HP LaserJet Booklet Finisher 6GW52A HP LaserJet Workgroup Job Separator 6GW54A HP LaserJet Workgroup Stand 6GW55A HP LaserJet Stapler/Stacker Finisher 6GW58A HP LaserJet Spacer Accessory 6HN30A HP LaserJet Workflow Accelerator Card 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive 7ZAOBA HP MFP 800 Analog Single Fax 8FP31A HP Jetdirect LAN Accessory 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive B5L31A HP Foreign Interface Harness X3D03A HP USB Universal Card Reader Y1G10A HP LaserJet Hole Punch 2/3 Accessory Y1G11A HP LaserJet Hole Punch 2/4 Accessory Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
Y1G2A HP LaserJet Paper Tray Heaters Accessory Y1G23A HP LaserJet Second Exit Accessory Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader 190ATA HP Laser.Jet Workgroup Lunar Gray Color Panel 190A6A HP Laser.Jet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A7A HP Laser.Jet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel 190B1A HP LaserJet Workgroup Comet Red Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel 190B9A HP LaserJet Workgroup Stand Comet Red Color Panel 190C1A HP LaserJet Workgroup Cosmic Green Color Panel 190C6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190D1A HP LaserJet Workgroup Constellation Yellow Color Panel
190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
190D7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190D9A HP LaserJet Workgroup Stand Constellation Yellow Color Panel 190F1A HP LaserJet Workgroup Aurora Purple Color Panel 190F6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F9A HP LaserJet Workgroup Stand Aurora Purple Color Panel 6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand 6GW48A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW51A HP LaserJet Booklet Finisher 6GW54A HP LaserJet Workgroup Stand 6GW55A HP LaserJet Stapler/Stacker Finisher Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 6GW52A HP LaserJet Workgroup Job Separator 6GW58A HP LaserJet Spacer Accessory Y1G10A HP LaserJet Hole Punch 2/3 Accessory Y1611A HP LaserJet Hole Punch 2/4 Accessory Y1622A HP LaserJet Paper Tray Heaters Accessory Y1623A HP LaserJet Second Exit Accessory 7ZA09A HP MFP 801 Analog Single Fax 7ZA07A HP MFP 811 Analog Dual Fax 6HN30A HP LaserJet Workflow Accelerator Card 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive 4XN67A Internal USB Expansion Kit 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory B5L31A HP Foreign Interface Harness 8FP31A HP Jetdirect LAN Accessory 40L32A HP Legic Secure USB Reader X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader

Speed Licenses

8EP63AAE HP LaserJet Managed MFP E826 50 to 60ppm License 8EP64AAE HP LaserJet Managed MFP E826 50 to 70ppm License 8LB51AAE HP LaserJet Managed MFP E826 60 to 70ppm License

Y7CO7A HP SIM for HID iClass for HIP2 Reader

^{*} HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023

Technical specifications

Functions						
Print speed ^{3,4}	Print, copy, scan, fax (optional) Letter Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
Tint Speed	Letter Black Duplex	Up to 20 ipm	Up to 23 ipm (with 8EP58AAE)	Up to 25 ipm (with 8EP59AAE)		
	A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
	A4 Black Duplex	Up to 20 ipm	Up to 23 ipm (with 8EP58AAE)	Up to 25 ipm (with 8EP59AAE)		
	A3 Black	Up to 15 ppm	Up to 19 ppm (with 8EP58AAE)	Up to 22 ppm (with 8EP59AAE)		
	First page out Letter Black	As fast as 7.6 sec	As fast as 6.7 sec (with 8EP58AAE)	As fast as 6.5 sec (with 8EP59AAE)		
hint	First page out A4 Black	As fast as 7.6 sec	As fast as 6.7 sec (with 8EP58AAE)	As fast as 6.5 sec (with 8EP59AAE)		
rint esolution##prntresftntnbr‡	Black (normal): Up to 600 x 600 dpi; Blac	k (fine lines): Up to 1200 x 1200	dpi reduced speed			
rint technology	Laser; Optical: Fine lines (1200 x 1200 dg	oi); Normal (600 x 600 dpi); Quic	k view (300 x 300 dpi)			
rint cartridges number	1 (black)					
tandard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible					
Printer smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
Color scanning	Yes					
Scan speed Normal ⁵	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color); Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Duplex: Up to 240 ipm (b&w), up to 240 ipm (color); Up to 240 ipm (color); Up to 240 ipm (color);					
Scan type / Technology	ADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF					
ican resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi					
can file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), Hi-Compression PDF/A (OCR), Hi-Compression PDF/A (OCR), P					
	TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)					
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
Scan Size	ADF Maximum: 297 x 420 mm; ADF Minir		•			
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
Ouplex ADF scanning	Yes, single pass duplex scanning					
DF capacity	Standard, 200 sheets					
wain version	Version 2.4					
	24-bit/256					
Bit depth / Grayscale levels Digital sending standard features	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compa printed picture, photograph); content orie	ct PDF; image adjustments (dark entation; ID scan; job build; wate	epoint; send to FTP; send to sFTP; send to LAN fax kness, contrast, background cleanup, sharpness); c rmark; stamps; book mode scans; erase edges; im	optimized text/picture (auto, text, mixed, nage preview; blank page suppression; so		
Digital sending standard	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compar printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto¬p	ness, contrast, background cleanup, sharpness); c rmark; stamps; book mode scans; erase edges; im bage-crop; multi-feed detection; document editing	optimized text/picture (auto, text, mixed, nage preview; blank page suppression; so ; auto paper color removal; job separatio		
igital sending standard eatures	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compar printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto¬p Up to 30 cpm	ness, contrast, background cleanup, sharpness); c rmark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE)	optimized text/picture (auto, text, mixed, nage preview; blank page suppression; so ; auto paper color removal; job separation Up to 40 cpm (with 8EPS9AAE)		
Oigital sending standard eatures	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compar printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto¬p Up to 30 cpm Up to 30 cpm	ness, contrast, background cleanup, sharpness); c rmark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE)	optimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE)		
Digital sending standard eatures	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compa printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto¬p Up to 30 cpm Up to 30 cpm Up to 20 cpm	whees, contrast, background cleanup, sharpness); crmark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE)	optimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE)		
Digital sending standard eatures	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compar printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto~p Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 20 cpm	when the contract con	ptimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separaticular (Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE)		
igital sending standard eatures	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compa printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto¬p Up to 30 cpm Up to 30 cpm Up to 20 cpm	whees, contrast, background cleanup, sharpness); crmark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE)	optimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE)		
Oigital sending standard eatures Copy speed ⁷	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compai printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto~p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec	rness, contrast, background cleanup, sharpness); or mark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE)	ptimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
oigital sending standard eatures opy speed ⁷	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compai printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics); ; Up to 600 × 60	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto~p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec	rness, contrast, background cleanup, sharpness); or mark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE)	ptimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
Digital sending standard eatures Copy speed Copy resolution Maximum number of copies	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compa printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies	ct PDF; image adjustments (dark entation; ID scan; job build; wate o-tone, auto orientation, auto~p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec	rness, contrast, background cleanup, sharpness); or mark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE)	ptimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separatio Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
Digital sending standard eatures Copy speed ⁷ Copy resolution Maximum number of copies Copier resize	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autinomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec O dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im	rness, contrast, background cleanup, sharpness); crmark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-ordering age preview; Paper selection; Blank page suppress	poptimized text/picture (auto, text, mixed, nage preview; blank page suppression; so; auto paper color removal; job separatio Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) g; N-up; Scalability; Text/Photo; Two-sidesion; Automatically strainghten;		
opy resolution flaximum number of copies opier resize opier settings	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compar printed picture, photograph); content orie to multi destination, embedded OCR; aut automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome;	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec O dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im	when the contract is the contract of the contr	poptimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
Digital sending standard eatures Copy speed ⁷ Copy resolution Maximum number of copies Copier resize Copier settings	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec O dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in page-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-orderinage preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job	poptimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
Copy speed ⁷ Copy resolution Aaximum number of copies Copier resize Copier settings Fax speed Fax resolution	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content orie to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 40)	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto¬p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Out of or	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-orderinage preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) as fast as 4.0 sec (with 8EP59AAE) [As fast as 4.0 sec (with 8EP59AAE) [As fast as 4.0 sec (with 8EP59AAE)]		
Copy resolution Maximum number of copies Copier resize Copier settings Tax speed Tax resolution	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autautomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec O dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); pages Auto fax reduction suppone TAM interface supported: N lialing numbers: Up to 1000 num	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in page-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-orderinage preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g; No Distinctive ring detection supported: Text telephone mode supported: No Junk		
opy resolution daximum number of copies opier resize opier settings ax speed ax resolution ax Features	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed of supported: No Telephone handset supported: No Telephone handset supported:	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Or dpi Top; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppione TAM interface supported: No lialing numbers: Up to 1000 nunred: No	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-ordering age preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending or Fax polling supported: Yes (poll to receive only)	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE)		
igital sending standard catures opy speed ⁷ opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed c supported: No Telephone handset support 1 Gigabit Ethernet 10/100/1000T netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Or dpi Top; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im. Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppone TAM interface supported: Nilialing numbers: Up to 1000 nunrted: No rk; 1 Hardware Integration Pocket.	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending of Fax polling supported: Yes (poll to receive only) inbers (each with 210 destinations) PC interface supports of the control of the co	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported: No Junk pported: Yes Remote retrieval capability		
opy resolution taximum number of copies topier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex First copy out Letter Black First copy out Letter Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 6) Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed c supported: No Telephone handset supported: Gigabit Ethernet 10/100/1000T netwo SuperSpeed USB 3.0 (host)	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Or dpi Top; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im. Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppone TAM interface supported: Nilialing numbers: Up to 1000 nunrted: No rk; 1 Hardware Integration Pocket.	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending of Fax polling supported: Yes (poll to receive only) inbers (each with 210 destinations) PC interface supports of the control of the co	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE)		
opy resolution taximum number of copies topier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autoutomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed c supported: No Telephone handset support 1 Gigabit Ethernet 10/100/1000T netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Od dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppone TAM interface supported: Nilialing numbers: Up to 1000 nunred: No rk; 1 Hardware Integration Pocket	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) Badjustment; Job build; Job storage; N or Z-ordering age preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job Black (standard): 203 x 98 dpi Orted: Yes Auto-redialing: Yes Fax delayed sending or Fax polling supported: Yes (poll to receive only) Inbers (each with 210 destinations) PC interface suet 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hos	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separatic Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported: No Junk pported: Yes Remote retrieval capability		
Digital sending standard	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autautomatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phbarrier supported: Yes Maximum speed c supported: No Telephone handset supported: Signabit Ethernet 10/100/1000T netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Od dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppone TAM interface supported: Nilialing numbers: Up to 1000 nunred: No rk; 1 Hardware Integration Pocket	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) Badjustment; Job build; Job storage; N or Z-ordering age preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job Black (standard): 203 x 98 dpi Orted: Yes Auto-redialing: Yes Fax delayed sending or Fax polling supported: Yes (poll to receive only) Inbers (each with 210 destinations) PC interface suet 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hos	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE)		
Digital sending standard eatures Copy speed ⁷ Copy resolution Maximum number of copies Copier settings Copier settings	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autination automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4) Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax pharrier supported: Yes Maximum speed coupported: No Telephone handset supported: No Telephone handset supported: No Telephone handset supported: Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fif Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4GHz);	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Od dpi rop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Dipages Auto fax reduction suppione TAM interface supported: Nilialing numbers: Up to 1000 numred: No rk; 1 Hardware Integration Pocketthernet) dware accessory Direct Printing; NFC Touch-to-p SSD(766R7A): Optional, HP Lase	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) Badjustment; Job build; Job storage; N or Z-ordering age preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job Black (standard): 203 x 98 dpi Orted: Yes Auto-redialing: Yes Fax delayed sending or Fax polling supported: Yes (poll to receive only) Inbers (each with 210 destinations) PC interface suet 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hos	potimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE)		
opy resolution flaximum number of copies flopier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability flobile printing capability flemory frocessor speed	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autiautomatically straighten Letter Black A4 Black Letter Black A4 Black Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 60) No Fax forwarding supported: Yes Fax ph barrier supported: Yes Maximum speed c supported: No Telephone handset supported: No Telephone handse	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Odpi Top; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Diages Auto fax reduction suppone TAM interface supported: No Initialing numbers: Up to 1000 nunification one TAM interface supported: No rk; 1 Hardware Integration Pocketternet) dware accessory Direct Printing; NFC Touch-to-p SSD(766R7A): Optional, HP Lase and Take Integration Pocketternet of the private in the process of the private in the	mess, contrast, background cleanup, sharpness); ormark; stamps; book mode scans; erase edges; in bage-crop; multi-feed detection; document editing Up to 35 cpm (with 8EP58AAE) Up to 35 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) Up to 23 cpm (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) adjustment; Job build; Job storage; N or Z-orderinage preview; Paper selection; Blank page suppress; Document editing; Auto paper color removal; Job Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending or Fax polling supported: Yes (poll to receive only) inhers (each with 210 destinations) PC interface suest 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hose) et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hose) print (optional); PrinterOn Print Up to 130,000 pages (with 8EP58AAE)	poptimized text/picture (auto, text, mixed, hage preview; blank page suppression; sc; auto paper color removal; job separatio Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) The separation supported for the separation supported for the separation supported: No Junk ported: Yes Remote retrieval capability th; 1 SuperSpeed USB 3.0 (device); 1 Standard, embedded 500 GB hard disk disk disk disk disk disk disk dis		
Digital sending standard eatures Copy speed ⁷ Copy resolution Aaximum number of copies Copier settings Cax speed Cax resolution Cax Features Standard connectivity Network capabilities Vireless capability Mobile printing capability	Scan to e-mail; save-to-network folder; s SMTP over SSL; auto color sense; compain printed picture, photograph); content oriet to multi destination, embedded OCR; autiautomatically straighten Letter Black A4 Black Letter Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Copy; Watermark; Scan mode (book, 2-si Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 ×	ct PDF; image adjustments (darkentation; ID scan; job build; wate o-tone, auto orientation, auto-p Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 20 cpm As fast as 5.0 sec As fast as 5.0 sec Or dpi Drop; Edge Erase; ID Scan; Image ded ID); Stamps; Image shift; Im Auto tone; Multi-feed detection 400 dpi for received faxes only); Drages Auto fax reduction suppone TAM interface supported: Nilialing numbers: Up to 1000 nunred: No rk; 1 Hardware Integration Pocket in the composition of the compositi	As fast as 4.6 sec (with 8EP58AAE) Black (standard): 203 x 98 dpi Orted: Yes Auto-redialing: Yes Fax delayed sending of Fax polling supported: Yes (poll to receive only) in the support of th	poptimized text/picture (auto, text, mixed, hage preview; blank page suppression; so; auto paper color removal; job separation Up to 40 cpm (with 8EP59AAE) Up to 40 cpm (with 8EP59AAE) Up to 25 cpm (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) The provided of the separation of the separati		

Technical specifications

December 111	
Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets;
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic: Envelope feeder: No: Standard paper trays: 3
Media types supported	Deligner Options: Automatic, Enverope receiver, not, January option larges, 1981. Plain, HP EccEFFICIENT, HP Matte 90g, Light 60-74d, Bond, Recycled, HP Matte 105q, HP Matte 120q, HP Soft Gloss 120q, HP Glossy 120q, Mid-Weight 96-110q, Heavy 111-130q, Mid-WtGlossy 96-
Media types supported	Hain, the Euter-Lichn, the Matte 90y, Light to "Ang, Boild, Net Recycled, the Matte 100g, the Matte 120g, the Young tools 210g, the Westing 96-110g, the Westing 96-110g, the Westing 96-110g, the Westing 96-10g, the Westing 96-
	Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored
Media weight supported	Tray 1:60 to 300 d/m²-1 Tray 2.3:60 to 220 d/m²
Media sizes supported	Tray 1: 83, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, BK, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, BK, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), D6 (JIS), Oficio, BK, 16k, Postcard, Postcard, Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope B1; Tray 2: A4, A4R, A5, RA5, RA5, RA6, B4, B4 (JIS), B5 (JIS), D6 (JIS), D7 (JIS)
	16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
What's in the box	50K02A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 24,000) W9064MC, HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC
Product dimensions	Wxdxh:640.8×725.5×858.1 mm; Maximum:1681 x1196 x1191 mm;
Product weight	64.4 kg
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service
• • •	and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display. Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with
	Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF &
	Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BiOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting
	(loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security
Company of the compan	Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux- For more information see
systems	xenapp & Xenuesktop 7.6, Noveli Print Server, Citrix Ready ix it Certification – up to Litrix Server 7.18 for more information See http://citrixready.citrix.com, Linux- For more information See http://citrixready.cit
	mtp://neverupers.inp.com/inp-minux-iniaging-and-piniting, Onex-ror more information see http://neverupers.inp.com/inp-minux-iniaging-and-piniting, Unix-ror more information see http://neverupers.inp.com/inp-minux-iniaging-and-piniting, Unix-ror more information see http://neverupers.inp.com/inp-minux-iniaging-and-piniting, Unix-ror more information see http://neverupers.inp.com/inp-minux-iniaging-and-piniting-unix-iniaging-unix-iniaging-un
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or
	USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC
	(+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts
	(40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (autó-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A),
	printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4
	at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating
	range: 20 to 80% RH

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 quidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims
- 2 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 3 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
- HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details
- ⁶ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers
 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ¹² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 For Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and
- document.

 8 Acoustic values are subject to change. For current information see https://www.hp.com/support













To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

